



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of

Brian J. Stark, et al.

Application No. 09/886,880

Filed: June 20, 2001

Confirmation No. 6918

"APPARATUS FOR SANITARY EGRESS OF A
RESTROOM"

I, Maryann Wiczorek, hereby certify that this correspondence is being deposited with the US Postal Service as first class mail in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on the date of my signature.

Maryann Wiczorek
Signature

2/6/03
Date of Signature

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

This is in response to the Notice to File Corrected Application Papers - Filing Date Granted, which was mailed November 12, 2002 and a copy of which is attached. Enclosed are substitute drawings for the above-identified application.

Entry of the enclosed drawings is respectfully requested.


Respectfully submitted,

Timothy M. Kelley

Timothy M. Kelley
Reg. No. 34,201

File No. 087781/9002-02

Michael Best & Friedrich LLP
100 East Wisconsin Avenue
Milwaukee, Wisconsin 53202-4108
(414) 271-6560



09886880 .021903

Page 1 of 1

UNITED STATES
PATENT AND
TRADEMARK OFFICECommissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/886,880	06/20/2001	Brian J. Stark	087781/9002-02

23409
MICHAEL BEST & FRIEDRICH, LLP
100 E WISCONSIN AVENUE
MILWAUKEE, WI 53202

CONFIRMATION NO. 6918

FORMALITIES LETTER



OC00000009093587

Date Mailed: 11/12/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be made on paper that has a white background (see 37 CFR 1.84 (e)). For example, drawings on graph paper, lined paper, or paper that has a non-white background are not acceptable. See Figure(s) fig 1 to 4.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE